

C100 Wiring Harness A1-H3

	AWG	Stock Length	
<u>Head Lights</u>			
Tan (LOW)	16	3' 7 1/2" (C100 to splice)	8" (splice to Socket Drv Side) 6' 1/2" (splice to Socket Pass Side)
Lt Green (HI)	16	4' (C100 to splice)	1' 4 1/4" (splice to Socket Drv Side) 6' 3 3/4" (splice to Socket Pass Side)
Black (Drv Side Grnd)	16	4 1/2" (Low Socket to splice) 1' (Hi Socket to splice) 1' 5" (Park Socket to splice)	1' (splice to Ground Eyelet)
Black / White (Pass Side Grnd)	16	9" (Low Socket to splice) 1' 5" (Hi Socket to splice) 1' 9" (Park Socket to splice)	1' 6" (splice to Ground Eyelet)
<u>Hood Light</u>			
Brown	20	9" (C100 to Connector)	

C100 Wiring Harness A1-H3

	AWG	Stock Length	
<u>Turn / Park Marker</u>			
Lt Blue (L Turn)	20	3' 4" (C100 to splice)	1' 6 1/4" (splice to L Turn Socket) 2' 1/2" (splice to L Marker Socket)
Dk Blue (R Turn)	20	7' 9" (C100 to splice)	2' 2 3/4" (splice to R Turn Socket) 2' 11 1/4" (splice to R Marker Socket)
Brown (L + R)	20	3' 6" (C100 to splice)	1' 4 1/2" (splice to L Turn Socket) 1' 10 1/2" (splice to L Marker Socket) 4' 5 1/2" (splice to 2nd splice) 2' 1/2" (2nd splice to R Turn Socket) 2' 9" (2nd splice to R Marker Socket)
<u>Wiper-Pulse</u>			
Pink	16	1' 3" (C100 to Cover Connector)	
Dk Green	16	1' 3" (C100 to Cover Connector)	
Grey	16	1' 3" (C100 to Cover Connector)	
Purple	16	1' 1" (C100 to Motor Connector)	
Yellow	16	1' 9" (Cover Connector to Motor Connector)	

C100 Wiring Harness A1-H3

AWG

Stock Length

Brake Warning

Tan / White 18 2' 1" (C100 to Connector)

Horns

Dk Green 12 3' 4" (C100 to 1st Connector)

Dk Green 12 7" (1st Connector to 2nd Connector)

C100 Wiring Harness A4-H6

	AWG	Stock Length
<u>Starter</u>		
Red	12	2' 3" (C100 [B5] to splice) 1' 6 1/2" (splice to Fusible Link) 1' 7 1/2" (splice to C497)
Red	12	3' 7 1/2" (C100 [G4] to Fusible Link)
Fusible Link	16	6" (B5 Power Line to Eyelet) 7 1/2" (G4 Power Line to Eyelet)
Purple	12	4' 1 1/2" (C100 to Eyelet)
<u>Alternator</u>		
Red	16	6 1/2" (Connector to Alt Positive Terminal)
Brown	18	5' 7 1/2" (C100 to Connector)
<u>Distributor</u>		
Pink	12	3' 2" (C100 to Connector)
White	18	3' 2" (C100 to Connector)

C100 Wiring Harness A4-H6

AWG

Stock Length

Oil Pressure

Tan	20	5' 9" (C100 to Connector)
-----	----	---------------------------

Coolant Temp

Dk Green / Wht	18	5' 9" (C100 to Connector)
----------------	----	---------------------------

Dk Green	18	5' 9" (C100 to Connector)
----------	----	---------------------------

A/C Power C497

Red	12	(See Starter for splice to C497)
-----	----	----------------------------------

Lt Green	18	8" (C497 to splice S225)
----------	----	--------------------------

Black	18	2' 5 1/2" (C497 to Compressor Connector) 9 1/2" (C497 to ECM Connector C106)
-------	----	---------------------------------------------------------------------------------

C100 Wiring Harness A4-H6

	AWG	Stock Length
<u>ECM Con</u> <u>C106</u>		
Lt Green	18	8" (C106 to splice S225)
Brown	18	1' 10" (ECM Connector to Comp Control Relay Connector)
Black	18	<u>(See C497 for wire to ECM Connector)</u>
<u>Compressor</u> <u>Control Relay</u>		
Lt Green	18	1' 1 1/2" (Connector to splice S225)
Lt Green	18	1' 1 1/2" (Connector to splice S225)
Lt Green / Black	18	3' 5" (Connector to Compressor Connector)
Brown	18	<u>(See ECM C106 for wire to Comp Control Relay Connector)</u>
<u>Compressor</u>		
Lt Green / Black	18	<u>(See Comp Control Relay for wire to Compressor Connector)</u>
Black	18	<u>(See C497 for wire to Compressor Connector)</u>